

Work Order ID 141136

Thursday, January 28, 2016 8:14:15 AM

141136 SEE W/O 14382S

Page 1

Item ID: D2370-1

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Litter Frame Assembly

Start Date: 1/28/2016 Start Qty: 1.00

1

Cust Item ID:

Required Date: 1/28/2016 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: *MCS*Date: **JAN 28 2016** Tooling:

Date:

Run Start ***NR1***

QC:

Date: SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D2370

REV D

100

0.00

100

PURCHASING

Purchasing

Memo

0.00

Purchasing

Issue p/o: *3166*

Order: Model 12-2A undrilled with grey pad & black belts

Supplier: Ferno Aviation

Letter of compliance required

LC 16-01-20

110

Receive & Inspect for Damage & Mat'l Certs

0.00

110

Packaging

Memo

0.00

Packaging

Insure that letter of compliance is attached to w/o

1X SP16-03-21

120

QC6- Inspect dimensions to drawing

0.00

120

QC

Memo

0.00

Quality Control

1

DAS
38
9-89
MAR 22 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : ☐									

Work Order ID 141136

Thursday, January 28, 2016 8:14:15 AM

141136

Page 2

Item ID: D2370-1

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Litter Frame Assembly

Start Date: 1/28/2016 Start Qty: 1.00

1

Cust Item ID:

Required Date: 1/28/2016 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

0.00

130

Small Fab

Small Fab

Memo

0.00

Small Fab

1- Assemble D2374 STUDS WITH HARDWARE as per Dwg D2370
2-Assemble d2379 belt as per dwg

140

QC5- Inspect part completeness to step on W/O

0.00

140

QC

Memo

0.00

Quality Control

Check for loose rivet and ensure fit of D4812-041

150

Identify as per dwg & Stock Location: _____

0.00

150

Packaging

Memo

0.00

Packaging

LOCATION : GA

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : ☐									

Work Order ID 141136

Thursday, January 28, 2016 8:14:15 AM

141136

Page 3

Item ID: D2370-1

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Litter Frame Assembly

Start Date: 1/28/2016 Start Qty: 1.00

1

Cust Item ID:

Required Date: 1/28/2016 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan:

Date:

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

160

QC21- Final Inspection - Work Order Release

0.00

160

QC

Memo

0.00

Quality Control

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																											
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																								
Description Work Order Deviation				Disposition				Completed By																																																							
								Lead hand / Supervisor Approval Verification																																																							
								QC / QA Coordinator Approval																																																							
Root Cause		FAULT CATEGORY																																																													
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____	
Misidentified ☐	Past Due ☐																																																														

Picklist Print

Thursday, January 28, 2016 8:14:20 AM

Page 1

Work Order ID: 141136

141136

Parent Item: D2370-1

D2370-1

Parent Item Name: Litter Frame Assembly

Start Date: 1/28/2016

Required Date: 1/28/2016

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP REV:A NEW ISSUE 13-07-22 JLM VERIFIED BY:JFS

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D2370-1P		Purchased	No				Each	0.0000		1			
D2370-1P									**				
Litter Frame Assembly													
D2374		Manufactured	No				Each	3.0000		4			
D2374									**				
Stud													

1/8 8p/16-03-21

			<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
			ST006	3	
			139525	3	
D2378		Manufactured	No	Each	20.0000
D2378					**
Bolt					

			<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
			ST007	20	
			140011	20	
D2484		Manufactured	No	Each	42.0000
D2484					**
Locknut					

			<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
			GA	42	
			135436	42	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
☐ OTHER : _____					

Picklist Print

Thursday, January 28, 2016 8:14:20 AM

Page 2

Work Order ID: 141136

Parent Item: D2370-1

Parent Item Name: Litter Frame Assembly

141136

D2370-1

Start Date: 1/28/2016

Required Date: 1/28/2016

Start Qty: 1.00

Required Qty: 1.00

NAS1149D0416J

Purchased

No

Each

4,466.000

4

NAS1149D0416.I

WASHER

Location

Loc Qty

Loc Code

GA

300

m131511

300

ST260a

1986

m131511

1986

ST264

2180

m131511

2180

Thursday, January 28, 2016 8:14:20 AM

Shop Packet Print

Page 2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coor. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
☐ OTHER : _____					

8 7 6 5 4 3 2 1

ITEM	QTY	P/N	DESCRIPTION
	X	D2370-041	LITTER ASSEMBLY
1	1	D2370-1	LITTER FRAME ASSY
2	1	D4812-041	PATIENT STOP ASSY

STRICTLY
 REF TO
 DRAWING
 UNLESS OTHERWISE NOTED
 SUBJECT TO AMENDMENT
 WITHOUT NOTICE
 ORDER
 141136 M/S
 16-01-28

D2370-1 LITTER FRAME ASSEMBLY

D4812-041 PATIENT STOP ASSY

POSITION PATIENT STOP OVER
 FWD STUDS AND SECURE
 WITH PIP PINS

D2370-041 LITTER ASSEMBLY

RELEASED
 2013-05-16
 MD

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 25.73 Lbs

D	Ø0.257 HOLES WERE Ø0.191 HOLES, 2PL (2N C3-2). CREATED -1 AND -041 ASSEMBLIES, NEW DWG FORMAT	DB	13.03.27
C	ADD ALTERNATE FOR D2484, MS SCREWS, TAPPED HOLES AND 5.00 WAS 5.34	KE	06.11.21
B	ADDED Ø0.191 HOLES	KE	98.06.09
A	NEW ISSUE	NA	95.02.20
REV.	DESCRIPTION	BY	DATE
DESIGN	DB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D2370 REV. D TITLE LITTER ASSEMBLY SCALE NTS COPYRIGHT © 1986 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. IT IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DRAWN	DB		
CHECKED	A.P.		
MFG. APPR.	2/1		
APPROVED	1/1		
DE APPR.	1/1	DATE 13.03.27	

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
OTHER : ☐									

ITEM	QTY -1	P/N	DESCRIPTION
	X	D2370-1	LITTER ASSEMBLY
1	4	D2374	STUD
2	4	D2378	MOUNTING BOLT
3	2	D2379	RESTRAINT BELT
4	1	D2381-1	LITTER FOOT PAD
5	1	D2381-3	LITTER HEAD PAD
6	4	D2484	LOCK NUT
7	1	D2485	LITTER FRAME
8	4	AN960JD416L	WASHER



RELEASED
2013-05-16

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D2370-1" USING A REMOVABLE TAG AS PER QSI 044 METHOD 6.6
 - 7) WEIGHT: 24.69 Lbs
 - 8) TRANSFER DRILL USING D4812-041 AS TEMPLATE. ENSURE FIT AND REMOVE FOR SHIPPING

DESIGN	DB	DART AEROSPACE LTD	
DRAWN	DB	HAWKESBURY, ONTARIO, CANADA	
CHECKED	AP	DRAWING NO.	REV. D
MFG. APPR.	AP	D2370	SHEET 2 OF 2
APPROVED	AP	TITLE	SCALE
DE APPR.	AP	LITTER ASSEMBLY	NTS
DATE	13.03.27	COPYRIGHT © 1996 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																		
Description Work Order Deviation				Disposition				Completed By																	
								Lead hand / Supervisor Approval Verification																	
										QC / QA Coordinator Approval															
Root Cause		FAULT CATEGORY																							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐		Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐		Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐																	
OTHER : ☐																									



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO31166

Purchase Order Date 1/28/2016 8:18:52 AM

PO Print Date 1/28/2016

Page Number 1 of 2

Order From :
FERNO AVIATION INC.
735-B BRANCH DR.
ALPHARETTA,, GA 30004
US

VU-FER001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED
JAN 28 2016

Contact Name
Vendor Phone 770 521 1005

Ship To Contact
Ship To Phone
Ship Via: Fedex P1
Ship Acct:

Buyer
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency USD
FOB EXW - (Ex Works)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	D2370-1P AS PER DGW D2370 REV. D B141137	Litter Frame Assembly	2/10/2016 Yes 2/10/2016		1.00 Each	\$1,706.00	\$1,706.00

Line Total: \$1,706.00

2	D2370-1P AS PER DGW D2370 REV. D B141136	Litter Frame Assembly	2/10/2016 Yes 2/10/2016		1.00 Each	\$1,706.00	\$1,706.00
---	--	-----------------------	-------------------------------	--	--------------	------------	------------

Line Total: \$1,706.00

PO Instructions: Fedex Acc#151793240

Note:

1/28/2016

FERNO Aviation, INC.

735-B Branch Drive
Alpharetta, GA 30004
Office 770-521-1005
Fax 770-521-0910

Packing Slip

DATE	PACKING SLIP NO.
3/16/2016	16633

BILL TO
Dart Aerospace, Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 Canada Attn: Accounts Payable

SHIP TO
Dart Aerospace, Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 Canada Ref: PO31166

P.O. NUMBER	TERMS	REP	SHIP DATE	SHIP VIA	FOB	
PO31166	Net 30	CW	3/16/2016	FedEx Economy	Alpharetta,GA	
ITEM	DESCRIPTION				QTY ORD.	QTY DEL.
12-2A (DART)	12-2A Litter Assembly W/Gray FAA Approved cover/pad assy. and Black FAA approved patient restraints , Serial # 16N342998, 16N342999 (HS Code 8803.30.00.00) Order will ship via Fed-X Economy using Dart Aerospace's Fed-X Acct. #151793240.				2	2

SP16-03-21

Thank you for your order!

Aircraft Belts Inc.
1176 Telecom Drive
Creedmoor NC 27522



Form: SC-108B
Phone: (800) 847-5651
Fax: (919) 956-4220

Print Date: 12/10/2015
Print Time: 1:16:59PM
Page: 1

FAA R.S. #: YB1R632K

PACKING SLIP / CERTIFICATION

Packing Slip: 22997

Cust. ID: F38

TERMS: Net 30

Ship To:

Ferno Aviation
735-B Branch Drive
Alpharetta GA 30004

Sold To:

Ferno Aviation
735-B Branch Drive
Alpharetta GA 30004

PO: 9471
Ship Date: 12/10/2015

Ship Via: UPS 1- Ground
SO: 98929

FOB: ORIGIN
Sales Person: Duncan, Virginia

***** Ship UPS Ground acct # E1129E *****

Line	Planned Qty	Shipped Qty	Backorder	Part Number	Revision
1	60.00 EA	60.00	0.00	STFL	D
Description: STFC3030-810 Stretcher Belt -					



12/14/15

CERTIFICATION

This is to certify that the above components have been manufactured, rebuilt or repaired and inspected in accordance with current Federal Aviation Regulations: TSO-C22 and/or TSO-C114 and found airworthy for service unless otherwise noted. The conditions and tests required for TSO approval of this article are minimum performance standards. It is the responsibility of those desiring to install either on or within a specific type of class of aircraft to determine that the aircraft installation conditions are within the TSO standards. If not within the TSO standards, the article may be installed only if further evaluation by the applicant documents an acceptable installation and is approved by the administrator. Details of this manufacture, rebuild or repair are on file at this facility. Refer to packing slip for additional details.

BY: _____

Duncan S. Clark



P 937.382.1451
F 937.382.1191

70 Weil Way
Wilmington, Ohio 45177

877.733.0911
www.ferno.com

22 January, 2016

Certificate of Conformance

Supplier: Ferno-Washington Inc.

Supplier Address: 70 Weil Way
Wilmington, Ohio 45177 USA
937-382-1451

Order No. 182996

Reference P.O. Ferno Aviation PO#: 9490
Dart Aerospace PO# 31166

Model No. Model 12-2 Emergency Stretcher

Item Number: Ferno-Washington #
0163255 12-2 STRETCHER GRAY

Ferno Catalog Number: N/A

Serial Nos. 16N342998, 16N342999, 16N343000, 16N343001, 16N343002,
16N343003, 16N343004, 16N343005, 16N343006, 16N343007

I certify that the above referenced products are produced in accordance with applicable Ferno-Washington Inc. quality standards using approved manufacturing methods and materials. The products have been inspected using approved test procedures and inspection criteria for Ferno-Washington medical devices.

Ferno-Washington Inc. is a registered manufacturer (Registration No. 1523574) with the United States Food and Drug Administration (FDA) as a manufacturer of medical devices, the Quality Management System is in compliance to the FDA's Code of Federal Regulations 21 CFR Part 820.

Ferno-Washington, Inc. also maintains a Quality Management System that fulfills the requirements of ISO 9001:2008 and ISO 13485:2003. Copies of Ferno-Washington, Inc.'s ISO 9001 and ISO 13485 certificates issued by Intertek are available upon request.

Shawn Fitzgerald
Director of Quality



P 937.382.1451
F 937.382.1191

70 Weil Way
Wilmington, Ohio 45177

877.733.0911
www.ferno.com

2016

Burn Certificate

Order No. 182996

Reference P.O. Ferno Aviation PO#: 9490
Dart Aerospace PO# 311664

Model No. Model 12-2 Emergency Stretcher

Item Number: Ferno-Washington #
0163255 12-2 STRETCHER GRAY

Ferno Catalog Number: N/A

Serial Nos. 16N342998, 16N342999, 16N343000, 16N343001, 16N343002,
16N343003, 16N343004, 16N343005, 16N343006, 16N343007

We certify that the material(s) listed above complies in all respects with the flammability requirements of the Department of Transportation Federal Aviation Administration FAR 25.853 appendix F Part I (a)(1)(ii).

FAR 25.853 "...The average burn length may not exceed six inches and the average flame time, after removal of the flame source, may not exceed 15 seconds. Drippings from the test specimen may not continue to flame for more than an average of three seconds after falling.

Shawn Fitzgerald
Director of Quality